royal®
EV ALETLERI
HOME APPLIANCES

PRODUCTS CATALOG

BRAND CATALOG 2025-2026




Royal


Royal

HAKKIMIZDA

Royal şirketler grubu 1997 yılında kurulmuş olup bünyesinde Royal Ev Aletleri, Wesun Elektrikli Araç , Igz İnşaat , Florya hastanesi ve Royal Farma mevcuttur.Royal Şirketler Grubu doğrudan ve dolaylı olarak yaklaşık 3.000 çalışanı istihdam etmektedir.

ROYAL EV ALETLERİ;
Royal şirketler grubuna bağlı olan, Royal Ev Aletleri Üretim ve Dış Tic. Ltd. Şti. 1997 yılında İstanbu'da atılan güçlü temelleri ile Türkiye'nin önde gelen üretim gruplarından biridir. İlk üretimine Ani Su Isıtıcı ürünüyle başlamış olan Royal Ev Aletleri bugün 1.000 kalemden'de fazla ürün çeşitliliği ile küçük ev aletleri üretiminin öncüsü haline gelmiştir.Royal Ev Aletleri Türkiye'de ve dünyanın farklı coğrafyalarında milyonlarca insanın hayatına dokunuyor ve ülke ekonomisine önemli katkılar sağlamaya odaklanıyor. Üretimde 27.yılını geride bırakırken bulunduğu sektörü şekillendirmeye devam ediyor.

Royal Ev aletleri , iş partnerlerine bir ürünün tasarımından ,lojistik kısmına kadar olan hizmetin tamamını kesintisiz olarak hizmet sağlamaktadır. Bünyesinde ; piyasa araştırması , ürün tasarımı ,Ar-ge , kalıplama, üretim, OEM üretim ve lojistik hizmetlerini uçtan uca sunmaktadır ve tam enteğre ERP sistemi kullanılmaktadır. Üretimdeki tüm aşamalar bağımsız kalite kontrol süreçlerinden geçmektedir.Royal Ev aletleri yıllık üretim kapasitesi 5.000.000 adetten fazladır. Orta Doğu ve Avrupa'nın en büyük elektrikli ev aletleri üreticilerinden biri olan Royal Ev Aletleri, dünyada 72 ülkeye ihracat yapmakta ve küresel pazarda güçlü bir yer edinmektedir.

İstanbul Beylikdüzü'nde iki ayrı lokasyonda 30.000 m2'lik fabrika merkez bina , 15.000 m2'lik ikinci üretim tesisi ve 20.000 m2 harici depolama merkezi bulunmaktadır. Üretim kapasitesini her geçen yıl artırmayı hedefleyen Royal Ev Aletleri İstanbul Selimpaşa'da 40.000 m2 ek yeni nesil fabrika ve ar-ge merkezi projesine start vermiş ve faaliyete başlamıştır.Royal Ev Aletleri, Türkiye pazarında uluslararası şirketlerle rekabette emin adımlarla ilerlemektedir. İşkolunda en uzman QC teknisyenleri ve gelişmiş test cihazlarıyla tüm ürünlerimiz CE, LVD, EMC, ROSH REACH vb. uluslararası onaylı test sertifikalarına sahiptir.

Royal Ev Aletleri, her geçen gün üretim kapasitesini artırmaya ve küresel pazardaki payını büyütmeye kararlılıkla devam ediyor.

MİSYON;
Müşterilerimizin talepleri doğrultusunda rekabetçi fiyat ve yüksek kalite ile firmamıza olan güveni korumak ve arttırmak.

VİZYON;
Müşteri ve çalışan beklentilerini aşan, uluslararası büyümesini artırarak sürdüren ve küresel etki yaratan bir şirket olmak.

ÜRÜNLERİMİZ

Elektrikli Ev Aletleri:
BLDC Şarjlı Süpürge, DC Şarjlı Süpürge, Kablolu Dikey Süpürge, Islak ve Kuru yeni nesil elektrikli süpürge, Robot süpürge, Anında su ısıtıcısı, Ayaklı vantilatör, Masa vantilatörü, Pil ile çalışan vantilatör, Endüstriyel vantilatör, Fanlı ısıtıcı, BLDC Saç kurutma makinesi, DC saç kurutma makinesi, AC saç kurutma makinesi, Ütü, Kazanlı buharlı ütü, seyahat ütüsü, Buharlı yüzey temizleyici, Halı ve Döşeme Temizleme makinesi.

Elektrikli Mutfak Aletleri:
Blender, Kişisel Blender, Masa Blender, Mikser, Kıyma Makinesi, Hava Fritözü, Filtre Kahve Makinesi, Otomatik Kahve Makinesi, Türk Kahvesi Makinesi, Su Isıtıcısı, Su Sebili

INDEX



01-64 Page



1 Kitchen and Home Appliances
05-40 page

2 Airfryer
41-44 page





3 Personal Care Products
45-56 page

4 Water Heater
57-60 page





5 Vacuum Cleaner
61-72 page

6 Fans
73-76 page





7 Heater
77-78 page

8 Iron
79-84 page



KITCHEN AND HOME APPLIANCES



A new generation of cooking
that combines flavor and health!



BLENDER



HAND BLENDER - BLD-01

- 350 W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 1 Speed Function
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-02

- 350 W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 1 Speed Function
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-26

- 900W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 1 Speed Function
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-27

- 900W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 1 Speed Function
- CE, ROHS, EMC, LVD





HAND BLENDER - BLD-03

- 350W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 1 Speed Function
- CE, ROHS, EMC, LVD

HAND BLENDER - BLD-04

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- CE, ROHS, EMC, LVD





HAND BLENDER - BLD-05

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- CE, ROHS, EMC, LVD

HAND BLENDER - BLD-28

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- CE, ROHS, EMC, LVD

BLENDER



HAND BLENDER - BLD-06

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD

HAND BLENDER - BLD-07

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD





HAND BLENDER - BLD-08

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-09

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD

HAND BLENDER - BLD-10

- 1700W - 220-240V - 50-60Hz
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD





HAND BLENDER - BLD-11

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD

BLENDER



HAND BLENDER - BLD-12

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Special Design Patented SS Rod
- 2 Speed Function
- 1500 ml Chopper
- 2 psc Scredding
- 1 pes Slicing
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater

HAND BLENDER - BLD-13

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Special Design Patented SS Rod
- 2 Speed Function
- 1500 ml Chopper
- 2 psc Scredding
- 1 pes Slicing
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater





HAND BLENDER - BLD-14

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Special Design Patented SS Rod
- 2 Speed Function
- 1500 ml Chopper
- 2 psc Scredding
- 1 pes Slicing
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater



HAND BLENDER - BLD-15

- Special Design Stand (NEW!)
- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- 1500 ml Chopper
- 2 pcs Scredding
- 1 pcs Slicing
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD

HAND BLENDER - BLD-16

- SpecialDesign Stand (NEW!)
- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Special Design Patented SS Rod
- 2 Speed Function
- 1500 ml Chopper
- 2 pcs Scredding
- 1 pcs Slicing
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater





HAND BLENDER - BLD-17

- SpecialDesign Stand (NEW!)
- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Special Design Patented SS Rod
- 2 Speed Function
- 1500 ml Chopper
- 2 pcs Scredding
- 1 pcs Slicing
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater

BLENDER



HAND BLENDER - BLD-18

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- Stainless Steel Dual Beater
- CE, ROHS, EMC, LVD

HAND BLENDER - BLD-19

- 1700W - 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 2 Speed Function
- Chopper
- Anti-Skid, Plastic Rubber Base
- 600 ml Measuring Cup
- Stainless Steel Dual Beater
- 1000 ml Measuring Cup
- CE, ROHS, EMC, LVD





HAND BLENDER - BLD-20

- 900W - 220-240V - 50-60Hz
- AC Motor
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Chopper
- Anti-Skid, Plastic Rubber Base
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-21

- 900W - 220-240V - 50-60Hz
- AC Motor
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Chopper
- Anti-Skid, Plastic Rubber Base
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-22

- 900W - 220-240V - 50-60Hz
- AC Motor
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Chopper
- Anti-Skid, Plastic Rubber Base
- CE, ROHS, EMC, LVD



HAND BLENDER - BLD-23

- 900W - 220-240V - 50-60Hz
- AC Motor
- Hanging Up Loop
- Stainless Steel Rod and Blade
- Chopper
- Anti-Skid, Plastic Rubber Base
- CE, ROHS, EMC, LVD



BLD00-005 Blender Set

- 220-240V 50/60Hz
- 1200W
- Button control
- S/S body
- 1.5L Glass Jar
- Smoothie, ice-crushing, and pulse functions with dedicated buttons

BLENDER



HAND BLENDER - BLD-24

- SpecialDesign Stand (NEW!)
- 1700W - 220-240V - 50-60Hz, Hanging Up Loop
- Special Design Patented SS Rod
- Stainless Steel Rod and Blade
- 2 Speed Function
- 1500 ml Special Design
- Patended Storage Stand
- Anti-Skid, Plastic Rubber Base
- CE, ROHS, EMC, LVD



BLD00-001P STAINLESS BLENDER SET

- 1500W - 220-240V - 50-60Hz
- Stainless Steel Rod
- Stainless Steel Blade
- Led Light button
- Double Speed Control
- Continuous Speed Control
- 600 ml Chopper Chamber
- 600 ml Meansuring Cup
- There isn't any paint.





BLD00-003P Stainless Steel Blender Set

- Motor: DC motor, 1500W
- Stainless Steel Stick
- Two Speeds + Adjustable Speed Control
- Material: AS
- Capacity: 500 ml (Max mark), total 800 ml

BLD00-004P Stainless Steel Blender Set

- Power: 220-240V, 1500W, low-noise DC motor
- Control: 2 speeds with soft-touch switch and speed control
- Removable Foot
- Stainless Steel 4 Blades
- AS Cup: 600ml
- AS Chopper: 500ml
- Quick Release





BLD00-003 Stainless Steel Blender

- 220V, 50Hz, 700W
- 2 Speed Options with 8 variable speeds
- Removable Stainless Steel Stick
- Powerful and Quiet DC motor
- Blue LED light
- VDE Plug
- 860ml Chopper and Whisk

BLD-26 Stainless Steel Blender Set

- 1500W - 220-240V - 50-60Hz
- DC Motor
- Stainless Steel 304 Body, Shaft, Blade
- Led-Lit Button
- Dual Speed Control And Continues Speed Control
- 600 Ml Chopper Bowl
- No Spray Paint

PERSONAL BLENDER



PERSONAL BLENDER -PSB-01

- 600W - 220V -240V, 50-60 Hz
- Stainless Steel Blade
- BPA-free Mixing Bottles
  with a Capacity of 570 ml and 400 ml
- Coffee grinder 180 ml
- Anti-Slip Silicone Ring
- Ice Crushing Feature
- Without Gasket
- CE, EMC,LVD, ROHS

PERSONAL BLENDER -PSB-02

- 600W - 220V -240V, 50-60 Hz
- Stainless Steel Blade
- BPA-free Mixing Bottles
  with a Capacity of 570 ml and 400 ml
- Coffee grinder 180 ml
- Anti-Slip Silicone Ring
- Ice Crushing Feature
- Without Gasket
- CE, EMC,LVD, ROHS





PERSONAL BLENDER -PSB-03

- 600W - 220V -240V, 50-60 Hz
- Stainless Steel Blade
- BPA-free Mixing Bottles
  with a Capacity of 570 ml and 400 ml
- Coffee grinder 180 ml
- Anti-Slip Silicone Ring
- Ice Crushing Feature
- Without Gasket
- CE, EMC,LVD, ROHS



PB-0021 INOX PERSONAL BLENDER

- 220-240V 50/60Hz 1200W
- Button-controlled switch
- S/S housing
- 1.5L glass jar
- Ice crushing with smoothie function, pulse buttons
- Optional attachments:
- Chopper and grinder bowl



PB-0011 INOX PERSONAL BLENDER

- 220-240V 50/60Hz 1200W
- Button-controlled switch
- S/S housing
- 1.5L glass jar
- Ice crushing with smoothie function, pulse buttons
- Optional add-ons:
- Chopper and grinder bowl

CHOPPER



CHOPPER-CH-01

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml Measuring Cup
- CE, ROHS, EMC, LVD



CHOPPER-CH-02

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml Measuring Cup
- CE, ROHS, EMC, LVD



CHOPPER-CH-03

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml Measuring Cup
- CE, ROHS, EMC, LVD



CHOPPER-CH-04

- 220-240V - 50-60Hz
- Low Noise
- Hanging Up Loop
- Stainless Steel Rod and Blade
- 1 Speed Function
- CE, ROHS, EMC, LVD



CHOPPER-CH-05

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml Measuring Cup
- CE, ROHS, EMC, LVD



CHOPPER-CH-06

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml GLASS BOWL
- CE, ROHS, EMC, LVD

Glass BOWL



CHOPPER-CH-07

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml GLASS BOWL
- CE, ROHS, EMC, LVD

Glass BOWL



CHOPPER-CH-08

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Blade
- Anti-Skid, Plastic Rubber Base
- 1000 ml GLASS BOWL
- CE, ROHS, EMC, LVD

Glass BOWL

MIXER



HAND MIXER -HM-01

- 300W
- 220V -240V, 50-60 Hz
- Stainless Steel Beater
- Stainless Steel Dough Part
- 7 Speed function
- CE, ROHS, EMC, LVD



HAND MIXER -HM-02

- 300W
- 220V -240V, 50-60 Hz
- Stainless Steel Beater
- Stainless Steel Dough Part
- 7 Speed function
- CE, ROHS, EMC, LVD



HAND MIXER -HM-03

- 300W
- 220V -240V, 50-60 Hz
- Stainless Steel Beater
- Stainless Steel Dough Part
- 7 Speed function
- CE, ROHS, EMC, LVD



HAND MIXER -HM-04

- 700W
- 220V -240V, 50-60 Hz
- Stainless Steel Beater
- Stainless Steel Dough Part
- 5 Speed function
- Turbo Function
- CE, ROHS, EMC, LVD



HAND MIXER -HM-05

- 220V -240V, 50-60 Hz
- 500-600 W
- Stainless Steel Beater
- Stainless Steel Dough Part
- 5 Speed and turbo function
- CE, ROHS, EMC, LVD

HAND MIXER -HM-06

- 300W
- 220V -240V, 50-60 Hz
- Stainless Steel Beater
- Stainless Steel Dough Part
- 7 Speed function
- CE, ROHS, EMC, LVD





HAND MIXER -HM-07

- 300W
- 220V - 240V, 50-60 Hz
- Stainless Steel Beater
- Stainless Steel Dough Part
- 7 Speed function
- CE, RIHS, EMC, LVD

RED SERIES




Royal
Royal

BAMBU SERIES





MEAT GRINDER MG-01

- 220-240V, 50-60 Hz, 1600-2000 W
- AC Motor
- 2 pcs Stainless Steel Grinding Discs
- Sausage Equipment and Kibbeh Equipment
- Retreat Function
- Anti-Skid, Plastic Rubber Base
- Food Tray
- Disc Storage Section
- Plastic Pusher

MEAT GRINDER MG-02

- 220-240V, 50-60 Hz, 1600-2000 W
- AC Motor
- 2 pcs Stainless Steel Grinding Discs
- Sausage Equipment and Kibbeh Equipment
- Retreat Function
- Anti-Skid, Plastic Rubber Base
- Food Tray
- Disc Storage Section
- Plastic Pusher





CH-010 Steel Chopper

- 6L
- Steel cup
- 4 blades
- 7632 CCA motor (1000W)
- EU plug

FRUIT AND ORANGE JUICER





2-3 Hours

User Manual

- Main Motor Speed: 9 RPM
- Charging Time: 2-3 hours
- Cup Diameter: 110 mm
- Motor: 390 copper motor with high temperature
- Battery: 1300 mAh
- 10C power battery
- Maximum Juice Volume: 175 mL
- User manual

FRUIT AND ORANGE JUICER MS-001

TURKISH COFFEE MAKER



The perfect foam and flavor
accompany you wherever you want.



800ML
CAPACITY

- 220V -240V
- 450-500W
- 50-60 Hz
- 800 ml Water Capacity
- Automatic Closing System
- Audible Alert Feature
- 4 Cups Capacity
- Ember Cooking Feature

TURKISH
COFFEE MAKER CP-13

FILTER COFFEE MAKER



PERSONEL FILTER COFFEE MAKER CP 09

- 220-240V , 50-60 HZ
- 650-750W
- 350ml Water Chamber Capacity
- Washable Filter
- Security System
- Open-close Key
- Stainless Steel Cup
- One Key Practical Use
- CE, ROHS, LVD, EMC

PERSONEL FILTER COFFEE MAKER CP 10

- 220-240V , 50-60 HZ
- 650-750W
- 350ml Water Chamber Capacity
- Washable Filter
- Security System
- Open-close Key
- Stainless Steel Cup
- One Key Practical Use
- CE, ROHS, LVD, EMC





PERSONEL FILTER COFFEE MAKER CP 11

- 220-240V , 50-60 HZ
- 650-750W
- 350ml Water Chamber Capacity
- Washable Filter
- Security System
- Open-close Key
- Stainless Steel Cup
- One Key Practical Use
- CE, ROHS, LVD, EMC



PERSONEL FILTER COFFEE MAKER CP 12

- 220-240V , 50-60 HZ
- 650-750W
- 350ml Water Chamber Capacity
- Washable Filter
- Security System
- Open-close Key
- Stainless Steel Cup
- One Key Practical Use
- CE, ROHS, LVD, EMC

PERSONEL FILTER COFFEE MAKER CP-10

- 220V - 240V
- 750W
- 50-60 Hz
- CERAMIC CUP
- CE, ROHS, LVD





PERSONEL FILTER COFFEE MAKER CP-07

- 220-240V
- 850W
- 50-60 HZ
- 10-12 Cup Coffee Pot
- CE, ROHS, LVD
- ERP 40 minutes auto off after brewing
- The Plate Temperature 200-250 Degrees

FILTER COFFEE MAKER



BFK00-001 FILTER COFFEE MAKER

- Pour over breawing technique
- Aroma diffuser pot
- 800W, 220-240 V
- Capacity: 6-8 cup
- Ergonomic design
- Rotating apparatus that brings hot water and coffee into full contact
- Coffee temperature: 76
- Brewing time: 7 dk
- Frp energy saving program
- Non-slip sole
- Surface that keeps the temperature constant

ALSO HERBAL TEA CAN BE MADE IN THIS MACHINE



BFK00-003 FILTER COFFEE MACHINE

- 220-240V, 50Hz, 900W
- Water level inducator, capacity: 12-15 cups
- Anti-drip feature, keep warm function
- Includes permanent filter and spoon
- On/off button with light inducator
- Auto drip coffee plastic housing with S/S declaration
- Coffee bean container capacity: 60 g
- 24 Hour fully programmable timer
- Microcomputer touch control with LVD display
- Adjustable capacity setting from 2 to 15 cups via button
- With function of grinding coffee beans with S/S filter
- Removable coffee bean container
- Turns off auto with keep warm function



BFK00-002 AUTO INOX FILTER COFFEE MAKER

- 220-240V, 12-14 cup, 80x60 LED Screen
- Auto coffee brewing instruction at the preffered time
- Digital control panel, Fast programming with one button
- Warning sound when brewing is completed
- Optional silent mode feature
- Ability to keep coffee warm for the time you choose
- Stainless steel body
- Strong, light and medium aroma coffee brewing options
- Special permanent filter avalaible
- Auto lime cleaning feature
- There is valve system that prevents dripping 20 seconds when the teapot is removed in an emergency while the coffee brewing mode is on

PERSONAL FILTER COFFEE MAKER CP-07

- 220-240V
- 50-60 Hz
- 10-12 Cup Coffee Pot
- CE, ROHS, LVD
- ERP 40 minutes auto off after brewing
- The Plate Temperature 200-250 Degrees





BFK00-004 Filter Coffee Maker with Grinder

- 12-cup small-sized coffee grinder
- Power: 220-240V 50Hz 900W
- Unit size: 430mm×213mm×314mm
- Capacity: 12CUP (1500ml)
- Water tank capacity: 1.5L
- Bean box capacity: 220g
- Horizontal grinding system
- Direct drop structure, less coffee powder residue
- 1.5L large fixed water tank
- Adjustable coffee particle size and coffee strength
- Coffee temperature can be 78°C ± 2°C
- Fast and effective coffee brewing.

FILTER COFFEE MAKER



KM-002T
Espresso Coffee Machine with Milk Frother

- 220-240V, 50-60Hz, 1350W
- 1.0L water tank, 500ML milk tank
- 20-bar high-pressure pump
- Thermoblock heating technology
- For precise temperature management
- Overheating and overpressure protection, with a safety valve for automatic pressure release
- One-touch operation for brewing espresso, cappuccino, and latte with small and large cup options
- Removable milk tank, water tank, and adjustable drip tray for easy cleaning
- Stainless steel base for pre-warming coffee cups

BFK00-005

- 1050W
- Capacity: 1.0L
- Coffee Bean Container Capacity: 60g
- Removable Coffee Bean Container
- 24-Hour Fully Programmable Timer
- Microcomputer Control
- LCD Display
- Keep Warm Function





BFK00-006
Programmable Filter Coffee Machine

- AC 120V, 1000W / 220-240V, 1000W
- Quick Programming
- Easy-to-Touch Digital Controls
- Brew Completion Signal
- Keep Warm Timer
- Stainless Steel Exterior
- Brewing Options, Aroma Function
- 24-Hour Programmable Clock
- Permanent Filter, Automatic Cleaning Feature
- Temperature Control
- Adjustable Auto Shut-Off
- 80x60 mm LED Display



ELECTRIC KETTLE KTL-01

- 220-240V
- 50-60 Hz
- 1600-1900 W
- Stainless Steel
- 1,8 LT. Capacity
- CE, ROHS, EMC, LV



GLASS KETTLE - CK01

- Anti scalding pot body,not afraid of being accidentally touched and scalded
- Cordless design, 360 degree rotation, convenient to use
- Hidden heating plate, safe and reliable
- Automatic switch-off, boil dry and overheat
- protection
- 201 Stainless steel concealed heating element

WATER DISPENSER SD-002

- 220-240V, 50-60Hz, 1200W
- Capacity: 3L
- Product Dimensions: 204.7 x 155.5 x 255.5 mm
- Gift Box Dimensions: 296 x 220 x 385 mm
- Main Carton Dimensions: 455 x 310 x 405 mm, 2 PCS/CTN





3.0L
CAPACITY

220
VOLTAGE

- Capacity: 3.0L
- Power: 2000W
- Voltage: 220V
- Product Weight: 2 kg
- Body Exterior: PP (Polypropylene)
- Inner Chamber: PS (Polystyrene)
- Heating Element: Rare earth thick film
- Dimensions: 300 x 190 x 320 mm (W x D x H)

WATER DISPENSER
SD-001

HOT WATER THERMOS






0.45L
CAPACITY

SS 304
Stainless Steel

- 0.45L
- 300W
- 6 functions
- Non-stick coating and tea strainer
- SS 304 food-grade material
- One-button operation, easy to use.
- Boil-proof body material.
- Heating function
- Double safety protection:
  Automatic shut-off, overheat protection.
- Heating Path: Separate power cord.

ST-001 HOT WATER THERMOS

A new generation of cooking
that combines flavor and health!





MANUAL AIR FRYER



AIR FRYER - AFM-01 MANUEL

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Manuel Control
- Oil Capacity: 5.5L
- Control: Temperature and timer
- 80°C - 200°C



AIR FRYER - AFM-02 MANUEL

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Manuel Control
- Oil Capacity: 5.5L
- Control: Temperature and timer
- 80°C - 200°C



AIR FRYER - AFM-03

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Manuel Control
- Oil Capacity: 4L
- Control: Temperature and timer
- 80°C - 200°C



AIR FRYER - AFM-04

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Manuel Control
- Oil Capacity: 5.5L
- Control: Temperature and timer
- 80°C - 200°C





AIR FRYER - AFD-01

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Digital Control
- Oil Capacity: 5.5L
- LED Display Knob Control
- 8 Program Features

AIR FRYER - AFD-02

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Digital Control
- Oil Capacity: 5.5L
- LED Display Knob Control
- 6 Program Features







AIR FRYER - AFD-03

- Power (W): 1200W-1500W
- Voltage (V): 220-240
- Controlling Mode: Digital Control
- Oil Capacity: 5.5L
- LED Display Knob Control
- 6 Program Features

AIR FRYER - AFD-04

- Power (W): 1500W
- Voltage (V): 220-240
- Controlling Mode: Digital Control
- Oil Capacity: 5.5L
- LED Display Knob Control
- 6 Program Features

AIR FRYER - AFD-05

- Power (W): 1800W
- Voltage (V): 220-240
- Controlling Mode: Digital Control
- Oil Capacity: 8L
- LED Display Knob Control
- 6 Program Features

Take your hair styling *routine to the next level!*





HAIR DRYER



AC-HAIRDRYER-HD-22

- AC Motor
- 220-240V
- 50-60 Hz
- 1800-2200 W
- Hanging Up Loop
- 2 Speed and Heat Function
- CoolShut Function
- Concentrator, Difuser
- Filter
- CE, ROHS, EMC, LVD

AC-HAIRDRYER-HD-23

- AC Motor
- 220-240V
- 50-60 Hz
- 1800-2200 W
- Hanging Up Loop
- 2 Speed and Heat Function
- CoolShut Function
- Concentrator, Difuser
- Filter
- CE, ROHS, EMC, LVD





- AC Motor
- 220-240V
- 50-60 Hz
- 1800-2200 W
- Hanging Up Loop
- 2 Speed and Heat Function
- CoolShut Function
- Concentrator, Difuser
- Filter
- CE, ROHS, EMC, LVD



AC-HAIRDRYER-HD-25

- AC Motor
- 220-240V
- 50-60 Hz
- 1800-2200 W
- Hanging Up Loop
- 2 Speed and Heat Function
- CoolShut Function
- Concentrator, Difuser
- Filter
- CE, ROHS, EMC, LVD

AC-HAIRDRYER-HD-26

- AC Motor
- 220-240V
- 50-60 Hz
- 1800-2200 W
- Hanging Up Loop
- 2 Speed and Heat Function
- CoolShut Function
- Concentrator, Difuser
- Filter
- CE, ROHS, EMC, LVD





AC-HAIRDRYER-HD-27

- AC Motor
- 220-240V
- 50-60 Hz
- 1800-2200 W
- Hanging Up Loop
- 2 Speed and Heat Function
- CoolShut Function
- Concentrator, Difuser
- Filter
- CE, ROHS, EMC, LVD

HAIR DRYER



DC-HAIRDRYER-HD-15

- 220-240V
- 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-15

- 220-240V
- 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-17

- 220-240V, 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-18

- 220-240V, 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-19

- 220-240V, 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-20

- 220-240V, 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-21

- 220-240V, 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-22

- 220-240V, 50-60 Hz
- 1700-2000 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD

HAIR DRYER



DC-HAIRDRYER-HD-06

- 220-240V, 50-60 Hz
- 1950-2300 W
- Ion Function and Light
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-07

- 220-240V
- 50-60 Hz
- 1800-2200 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-08

- 220-240V, 50-60 Hz
- 1950-2300 W
- Ion Function and Light
- Hanging Up Loop
- 2 Speed Function
- CoolShut Function
- Concentrator, Difuser
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-09

- 220-240V, 50-60 Hz
- 1950-2300 W
- Ion Function and Light
- Hanging Up Loop
- 2 Speed Function
- CoolShut Function
- Concentrator, Difuser
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-10

- 220-240V
- 50-60 Hz
- 1950-2300 W
- Ion Function
- Ion Light
- Hanging Up Loop
- 2 Speed Function
- CoolShut Function
- Concentrator, Difuser
- CE, ROHS, EMC, LVD

DC-HAIRDRYER-HD-11

- 220-240V
- 50-60 Hz
- 1950-2300 W
- Ion Function
- Ion Light
- Hanging Up Loop
- 2 Speed Function
- CoolShut Function
- Concentrator, Difuser
- CE, ROHS, EMC, LVD





DC-HAIRDRYER-HD-12

- 220-240V
- 50-60 Hz
- 1950-2300 W
- Ion Function
- Hanging Up Loop
- 2 Speed Function
- 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- CE, ROHS, EMC, LVD

HAIR DRYER



DC-HAIRDRYER-HD-13

- 220-240V
- 50-60 Hz
- 1950-2300 W
- Ion Function
- Hanging Up Loop
- 2 Speed Function
- 2 Heat Function
- CoolShut Function
- Concentrator , Difuser
- DC Motor
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-01

- 220-240V
- 50-60 Hz
- 1000-1250 W
- Hanging Up Loop
- 2 Speed Function
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-03

- 220-240V
- 50-60 Hz
- 1000-1250 W
- Hanging Up Loop
- 2 Speed Function
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-04

- 220-240V
- 50-60 Hz
- 1700-2000 W
- Hanging Up Loop
- 2 Speed Function
- CoolShut Function
- Concentrator, Difuser
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-05

- 220-240V
- 50-60 Hz
- 1700-2000 W
- Hanging Up Loop
- 2 Speed Function
- CoolShut Function
- Concentrator, Difuser
- CE, ROHS, EMC, LVD



DC-HAIRDRYER-HD-02

- 220-240V
- 50-60 Hz
- 1000-1250 W
- Hanging Up Loop
- 2 Speed Function
- CE, ROHS, EMC, LVD

HAIR DRYER



HD-38 BLDC Hair Dryer

- 220-240V 50-60Hz 1600-1900W
- 1000-Hour Long-Life BLDC Motor
- Rotatable Handle, Ionic Function
- Ultra High-Speed Motor, Over 110,000 RPM
- Independent Switch Button for Power On/Off and 2 Speed Settings
- 3 Temperature Settings with Push Button Control
- NTC Control, Lockable Cool Air Function
- Magnetic Detachable and Dual-Layer Protective Concentrator



HD-33 BLDC Hair Dryer

- 220V - 50Hz - 1800W BLDC Motor
- Magnetic Concentrator
- Constant Temperature, Cold Air Blowing
- Powerful Airflow Speed: 20.2m/s
- 3 Speed and Heat Settings
- Overheating Protection Function
- Automatic Cleaning Function
- 4-Color Ambient Light Ring for Different Temperatures



HD-39 BLDC Hair Dryer

- 220-240V 50-60Hz 1600-1900W
- 1000-Hour Long-Life BLDC Motor
- Ultra High-Speed Motor, Over 110,000 RPM
- Independent On/Off Switch Button
- 3 Temperature and Speed Settings
- Airflow and Temperature Adjustment with LED Indicators
- NTC Control, Ionic Function, Lockable Cool Air Function
- Dual-Layer Protective Concentrator



HD-32 BLDC SKM

- 220-240V 50-60Hz 1600-1900W
- High-speed BLDC motor, 110,000 RPM
- Independent switch button for power off and 2 speed settings, 2 heat settings
- Lockable cool air blowing function
- Special cold and hot cycle design
- LED indicators for different settings
- Magnetic detachable concentrator
- Optional ionic function, VDE plug



HD-42 AC HAIR DRYER MACHINE-1

- Power: 220V-240V~ 1800-2200W
- 2 speeds and 3 heat settings
- Two separate push-button switches
- Cool shot button
- Detachable air intake grill
- Overheating protection
- Long-lasting AC motor
- Hanging ring, 2.5m cable length
- Professional concentrator
- Diffuser (optional)
- Ionic function (optional)
- Weight: 750g (without accessories)
- Product size: 20.5x9.0x28.5 cm



HD-40 AC HAIR DRYER MACHINE-2

- Power: 220V-240V~ 1800-2200W
- 2 speeds and 3 heat settings
- Two separate toggle switches
- Cool air button
- Detachable air intake grill
- Overheating protection
- Long-lasting AC motor
- Hanging ring
- Professional concentrator
- Diffuser (optional)
- Ionic function (optional)
- Weight: 750g (without attachments)
- Product size: 20.5x9.0x28.5 cm

Instant hot water,
the warmth you need at any time!


Royal

WATER HEATER



WATERHEATER-WH-01

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS, CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS



WATERHEATER-WH-02

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS, CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS



WATERHEATER-WH-03

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS, CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS



WATERHEATER-WH-04

- 220-240V, 50-60 Hz
- 1700-2000 W
- Ion Function
- Hanging Up Loop
- 2 Speed and 2 Heat Function
- CoolShut Function
- Concentrator, Difuser, DC Motor
- Chrome Back Cover
- CE, ROHS, EMC, LVD



WATERHEATER-WH-05

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS , CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS 1



WATERHEATER-WH-06

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS , CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS 1



WATERHEATER-WH-07

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS , CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS 1



WATERHEATER-WH-08

- 220-240V
- 50-60 Hz
- 7 Different Security System
- Continuous Hot Water
- ROHS , CE
- RATED POWER : 7500-9000 W
- WATER PRESSURE : 0,2 BAR
- WATER FLOW RATE : 2-4 LT/ MIN
- PROTECTION CLASS : IPX1 / CLASS 1

We redefine cleaning!

Keep your home clean and your peace of mind!





VACUUM CLEANER



BSP03-000 300W BLDC RECHARGEABLE VACUUM CLEANER

- Input 100-240V,50-60Hz,0.4A MAX
- Output 27V 500MA
- Battery info 22.2V Li-ion 2200mAh (TENPOWER)
- DC motor power 140W Brush motor
- Charging time 4-4.5H
- Working time High speed:17mins, Low speed: 35mins
- Vacuum High speed:11 Kpa, Low speed:6Kpa
- Noise Level (dB) K 75
- Air inlet filter HEPA+stainless steel filter
- Dust tank Capacity 500ml



VACUUM CLEANER- VC-04

- Type: Wireless Vacuum Cleaners
- KPA : 12 kpa
- Battery :2200 mah
- RPM : 28000-30000 rpm
- Power :175 Watt
- Volt : 22,2V
- Working Time :25 MİN FAST 35 MİN SLOW
- Dust Capacity : 0,8 L
- Size : 330*115*225



VACUUM CLEANER- VC-05

- Type: Wireless Vacuum Cleaners
- Power (W): 160 Watt
- Voltage (V): 22.2
- Product Size: 1040*240*212mm
- Noise (dB): about 70-*80dB
- Battery Type:Li-Ion 2200mAh
- Material:ABS+SprayColor
- Dust Capacity: 1.2L
- Usage Time: about 25-45 minutes
- Charging Time: 3 Hours
- Vacuum Degree: 9-12kPa



400W BLDC RECHARGEABLE VACUUM CLEANER

- 400W Brushless motor(BLDC)
- 100-240V,50-60Hz,0.4A MAX
- 30V 500MA
- 25.9V 2500mAh Lithium battery
- Working time, highest speed min 13-15 minutes,
  25 minutes in normal operation,
  50 minutes in Eco
- Sound level 72 dB
- Chamber capacity 800 ML
- B1 apparatus: Folding Pipe
- B2 apparatus: 25W Motor Brush
- B6 apparatus: UV ray Brush

VACUUM CLEANER



RECHARGEABLE VACUUM CLEANER-VC10

- Type: Rechargeable Vacuum Cleaners
- Power (W): 140
- Voltage (V): 22.2
- Product size: 1040*240*212mm
- Noise (dB): about 70
- 80dB
- Battery Type: Lilon 2200mAh
- Material :ABS+SprayColor
- Dust Capacity: 1.2L
- Usage Time: about 25-45 minutes
- Charging Time: 3 Hours Vacuum Degree: 9 12kPa



BSP04-000 300W BLDC RECHARGEABLE VACUUM CLEANER

- 300W Brushless motor(BLDC)
- 100-240V,50-60Hz,0.4A MAX
- 30V 500MA
- 25. 9V Li-ion 2200mAh,
- Charging Time 4 - 4.5 hours
- Working time highest speed min 13 min, lowest speed 27 min
- Vacuum low speed 24Kpa, high speed 12 Kpa
- Sound level 76 dB
- Chamber capacity 500 ML
- Hepa Filter



VC-12 VACUUM CLEANER WITH CABLE

- 230V
- 500W
- 506-60 Hz
- 1L Dust capacity
- 5 mt cable



BSP 07-000 400W BLDC VACUUM CLEANER

- Motor type: BLDC, 29.6V, 400W, 2200mAh
- Battery quantity: 8 units
- Noise level < 79 dB
- Vacuum and Running time:
  High speed > 24Kpa (15 minutes)
  Medium speed > 10Kpa (30 minutes)
  Low speed > 6Kpa (60 minutes)
- Color: Small parts with spray color finish
- Charging time: 4-5 hours, Dust container capacity: 0.8L
- 3-speed control (Touchscreen)
- LED indicator light; one-button dust release (Patented)
- 62cm foldable tube, motorized plastic roller brush
- Product dimensions: 320 x 125 x 1200 mm
- Accessories: 2 pieces + 1 wall mount; packaged in a gift box, 4 units per carton

VACUUM CLEANER



BSP09-01K WET AND DRY VACUUM CLEANER

- 13 kPa 230W
- 50 min battery life
- Input: 100-240V, 50-60Hz, max.
- Output: 27V 500mA
- Battery info: 21.6V Li-ion 2600mAh
- Motor power: 180W
- Charging time: 5.5h
- Long working time:
- High: 15 min Low: 25 min
- High: 6kPa, Low: 25 min
- CWT capacity: 630ml
- DWT capacity: 500ml



BSP10-01K WET AND DRY VACUUM CLEANER

- Input: AC 100~240V 50/60Hz 0.5A max
- Output: DC 35V 0.5A
- Cable: 300V/80°C/20AWG, length: 1.8m
- Charging time: 4.5±0.5 hours
- Operating time with full charge:
  Standard speed: 50 minutes
  High speed: 22 minutes
  Unit life: ≥500 hours
- Vacuum:
  Standard speed: 7Kpa
  High speed: 13Kpa
- Water recovery rate: ≥90%
- Noise (dBA):
  Standard speed: ≤78dBA
  High speed: ≤80dBA
- Power control type: on the body
- Filter system: Air intake filter + HEPA



BSP11-01K WET AND DRY VACUUM CLEANER

- Input: AC 100~240V 50/60Hz 0.8A max
- Output: DC 27V 0.8A
- Cable: 300V/80°C/20AWG, length: 1.8m
- Rated Power (W):
  Standard speed: 120W
  High speed: 180W
- Charging time: 4±0.5 hours
- Operating time with full charge:
  Standard speed: ≥23 minutes
  High speed: ≥15 minutes
  Unit life: ≥250 hours
- Vacuum:
  Standard speed: 4Kpa
  High speed: 6Kpa
- Airflow:
  Standard speed: 30ml/min
  High speed: 50ml/min



BSP06-00K TANK SELF-EMPTYING VACUUM CLEANER

- DC 21.6V/25.9V/29.6V 2600/2200 Lithium Battery
- Nominal Motor Power (W): BLDC 200W-450W
- Dust Capacity
- Noise: 72dB
- Battery Cycle Life: >500 times
- Speed Control: 3 speeds (High - Normal - Eco)
- Input: HEPA & Metal filter, multis cyclone
- Output: Sponge
- Tube: Aluminum Pipe
- Charging Base/Station: Wall-mounted
- Brush: LED Brush with colored roller
- Color: Injection color

ROBOT CLEANER



ROBOT CLEANER VC-06

- Type: Wireless Vacuum Cleaners
- Power (W): 30 watt
- Voltage (V): 14.8
- Product Size: 320*320*78 mm
- Noise (dB): about 60 dB
- Battery Type:2600 mAh Li-ion
- Dust Capacity: 600 ml
- Usage Time: about 90-120 minutes
- Charging Time: 4-5 Hours
- Vacuum Degree: 2200 Pa
- Water Tank Capacity: 400 ml
- Navigation: Gyro Navigation with map
- Sensor: Infrared
- Sensor Number: 13
- Motor: BLDC Motor
- Weight: 4,8kg
- Wi-Fi: Evet-TUYA
- Filter: HEPA
- Climbing High:15mm
- Dustbin Capacity: 600 ml dustbin
- Water Tank with Electric Control: Yes
- Voice Command:No
- Press On Carpet and Floors: Yes
- Remote Control: No
- 3 Water Function: Yes (Low, medium, high)
- 3 Cleaning Function: Yes (smart mod, corner mod, spirel mod)
- Navigation Function: Yes
- Navigation Memory: No
- Planned Cleaning Function: Yes
- Charge Station: Yes
- Sanal Limitation: Yes, only magnetic
- As Adapater Input Voltage: 100-240V
- Charger Output Voltage: 19V
- Rulo Brush: Yes, 1 PCS
- Two Side Brushes: Yes, (2 PCS put in. 2PCS spair total for PCS.)
- Motor Life Time: 600-700 hours



VACUUM CLEANER WITH LASER SENSOR VC-08

- Suction Power: 2400 PA
- Battery Capacity: 3200 MAH
- Dust Tank Capacity: 600 ML
- Water Tank Capacity: 400 ML
- Climbing Height: 18 ML
- Power: 35 Watt
- Charging Time: 4-5 Hours
- Operation Time: 140 Min
- Cleanable Area: 180 m2
- Noise Level: 60 DB
- Real Time Location, WI-FI, Real - Time Mapping
- Show Where To Clean
- Pre-Set Cleaning Program



VACUUM CLEANER VC-07

- Suction Power: 2600 PA
- Battery Capacity: 3200 MAH
- Dust Tank Capacity: 600 ml
- Water Tank Capacity: 400 ml
- Climbing Height: 18 ml
- Power: 35 Watt
- Charging Time: 4-5 Hours
- Operation Time: 140 min
- Cleanable Area: 180 m2
- Noise Level: 60 db

STEAM CLEANER



BT-001Y STEAM CLEANER

- 2000W (230V/50Hz)
- 304 stainless steel tank: 2L
- Normal tank capacity: 1.8L
- Working pressure range: 2-5bar
- Power cord length: 2.5m (optional 5m length)
- Hose length: 1.45m from steam cleaner body to gun
- Heating time: 8 minutes
- Thermostat 160°C+ Safety cut-off



HYM-02 Steam Carpet and Upholstery Cleaner

- 220-240V~, 50-60Hz
- Power: 1700W
- Motor Speed: 40,000rpm
- Suction Power: 15-16KPA
- Power Cord Length: 4m
- Clean Water Tank Capacity: 1600ml
- Dirty Water Tank Capacity: 950ml
- Noise Level: ≤85dB
- Hose Length: 1.7m
- Heating Temperature: 100 ± 5°C



HYM-06 Non-steam Carpet and Upholstery Cleaner

- Color Injection
- Input Voltage: 100~240V
- Nominal Power: 500W
- Dust Tank Capacity: >0.8L
- Clean Tank Capacity: >1.3L
- Vacuum Power: 13Kpa
- Pump Voltage: 12V
- Noise Level: 80dBA
- Hose Length: 1.5m
- Power Cord Length: 5m
- Speed Control: Single Speed

HYM-03 Non-Steam Carpet Cleaner

- 220V, 50Hz 500W
- Vacuum Degree: 11KPa
- Noise Level: ≤80dB
- Motor Lifetime: ≥300 hours
- Nominal Speed: 38000 rpm
- Waterproof Level: IPX4
- Power Cord Length: 5m
- Clean Water Tank Capacity: 1500ml
- Dirty Water Tank Capacity: 800ml
- Diaphragm Pumps
- Working Environment Temperature: 0-50°C
- Electric Switch: Yes
- Operating Temperature: 50°C ±5°C






HYM-01 Non-steam Carpet and Upholstery Cleaner

- 550W 230V 50Hz
- Noise Level: ≤81dB
- Fresh Water Tank Capacity: 1.9L
- Waste Water Tank Capacity: 1.2L
- Vacuum: ≥14KPa
- Easy to clean water tanks for efficient use.
- Saves space and makes storage easier.
- Effective Deep Cleaning
- Suitable for all types of fabrics, such as sofas, curtains, carpets, blankets, etc.
- 5m wide cleaning range for easy access.
- Two self-cleaning heads included.

FAN





Fans offer the perfect breeze on
hot summer days without
wasting your energy.

FAN




FAN FN-01

- 40W
- 220-240V
- 50-60 Hz
- 3 Speed Function
- Timer
- Rohs, CE, LVD, EMC
- Less Noise

FAN FN-02

- 40W
- 220-240V
- 50-60 Hz
- 3 Speed Function
- Timer
- Rohs, CE, LVD, EMC
- Less Noise





FAN FN-03

- 40W
- 220-240V
- 50-60 Hz
- 3 Speed Function
- Timer
- Rohs, CE, LVD, EMC
- Less Noise



RECHARGEABLE TABLE FAN MNF-01

- 5W±1W, DC 5V, 3.5H(+/-30DK) Charging time
- 3 Speed Function, Type-C USB Port
- 6 LED Lights with 2 Brightness
- Propeller Speed: Low: 3,0 m/s(+/-%20). Medium: 3,6 m/s(+/-%20). High: 4,0 m/s(+/-%20)
- 3.7V 1800 mAh Lithium Ion
- Rohs, CE, LVD, EMC
- Less noice
- Working time;
  1.Low - 4 hours (+/-30 min.)
  2.Medium - 3 hours (+/-30 min.)
  3.High - 2 hours (+/-30 min.)
- Lamp Duration
  1.Low - 31 hours (+/-30 min.)
  2.High- 18 hours(+/-30 min.)

FAN FN-04

- 75W
- 220-240V
- 50-60 Hz
- Large metal propeller
- 3 Speed Function
- Rohs, CE, LVD, EMC
- Less Noise





FN-09 The 16 inch Mosquito Repellent Stand Fan

- Mosquito Repellent Switch With LED Indicator
- Speed Knob Switch
- Heat Dissipation
- Storage Instructions
- Mosquito Repellent Housing
- Electric mosquito repellent liquid (not included)
- Oscillation Design
- Handle Design
- 40 degree tilt angle

HEATER



FN1-12 TOWER FAN

- Digital Display and Remote Control Heater & Fan
- 2-in-1 Functionality
- Heating Levels
- Overheating Protection, Tip-Over Protection
- Automatic Oscillation
- Touchscreen Interface
- Remote Control for added convenience.
- 12-Hour Timer
- Room Temperature Indicator for real-time monitoring.
- Memory Function
- Auto Screen Shutoff
- Built-In Handle
- Fire-Resistant PP Material




FN1-10 TOWER FAN

- Fan and heater 2-in-1;
- 2 heating levels;
- Overheating protection;
- Tip-over protection;
- Automatic oscillation;
- Designed especially for personal use;
- Easy-to-grip handle;
- Fire-resistant PP material outer casing.



FN1-13 TOWER FAN

- 220-240V~, 50-60Hz 5W/1000/2000W
- Digital display and remote control
- 2-in-1 fan and heater, 2 heating levels
- Overheating protection, Tip-over protection
- Automatic oscillation, Touch screen
- Adjustable temperature, 12-hour timer
- Room temperature indicator, Memory function
- Automatic shut-off display, Easy-to-grip handle
- Fire-resistant PP material outer casing



FN1-11 TOWER FAN - SQUARE MANUAL

- Fan and heater 2-in-1;
- 2 heating levels;
- Overheating protection;
- Tip-over protection;
- Automatic oscillation;
- Designed especially for personal use;
- Easy-to-grip handle;
- Fire-resistant PP material outer casing.



FN1-14 SMALL FAN

- PTC Ceramic Heater
- AC220-240
- 50/60Hz
- 1800W
- PTC Ceramic heating element
- 2 heat settings: 750W/1500W



FN1-15 SMALL FAN

- PTC Ceramic Heater
- AC220-240V, 50/60Hz, 1800W
- PTC Ceramic heating element
- 2 heat settings: 750W/1500W
- 3 modes: Fan / Low / High
- Adjustable thermostat
- Overheating protection
- Power indicator light
- Wide-angle oscillation

We redefine cleaning!

Keep your home clean and your peace of mind!





IRON



UT-001U Standing Iron

- Dimensions: 20 × 252.3 × 218.5 mm
- Injection Color
- 110V, 50/60Hz, 1400W
- Capacity: 1.6L
- Flat Wire Length: 1.30 m
- Steam Output: 34 g/min, 35 bars
- Weight: 2.9 kg / 3.9 kg
- Stage Mechanical
- Clothes Hanger
- Collar Helper
- Pants Folder, Brush

UT-002U Standing Iron

- Unit Dimensions: 337 × 224.3 × 272 mm
- Injection Color
- 220-240V, 50/60Hz 1800W
- Water Tank Capacity: 2.1L
- Cable Length: 1.30 m flat wire
- Steam Output: 35g/min
- Quick Heating Time: 35 seconds
- Gross/Net Weight: 5kg/6.3kg
- PCB Control: 8-stage mechanical
- Accessories:
- Rotating Ironing Board
- Collar Helper, Pants Folder





UT-004U Standing Iron

- Unit Dimensions: 335 × 335 × 1200 mm
- Injection Color
- 220-240V, 50/60Hz 2000W
- Water Tank Capacity: 2.5L
- Cable Length: 1.30 m flat wire
- Steam Output: 38~45g/min
- Quick Heating Time: 32 seconds
- Gross/Net Weight: 4.15 kg / 5.3 kg
- PCB Control: 6-stage mechanical
- Accessories:
- Clothes Hanger ,Collar Helper
- Pants Folder, Pants Brush



UT-003U Standing Iron

- Input Voltage: 220-240V, 50/60Hz
- Nominal Power: 1800W
- Water Tank Capacity: 2.5L
- Steam Output: 32g/min
- Quick Heating Time: 32 seconds
- Gross/Net Weight: 5.3 kg / 6.7 kg
- Cord Length: 1.30 m with VDE plug and flat wire
- Control: 6-stage digital
- Accessories:
- Basic Hanger
- Pants Brush

UT-002D Wall-Mounted Iron

- Voltage: 220-240Vac
- Water Tank Capacity: 330ml
- Frequency: 50/60Hz
- Generator Pressure: 100kpa
- Generator Power: 1500W
- Steam Output: 8-30g/min
- Power Cord Length: 1.80m
- Heating Time: 30 seconds
- Quantity: 6 units/box
- Package Size: 53.6 × 52.5 × 36 cm





UT-001D Wall-Mounted Iron

- Voltage: 100-120V; 220-240V / 1600W / 50-60Hz
- Water Tank Capacity: 1100ML
- Steam Working Time: 40 Minutes
- Unit Dimensions: 266 × 115 × 170 mm
- Steam Output: 30g/min
- Steam Temperature: 130-150°C
- Power Cord Length: 1.8m
- Hose Length: 1.5m

IRON



UT-004P 2400 WATT IRON

- Functions: Dry/Spray/Steam/Shot of Steam Vertical Steam/Self-Cleaning
- Thermostat Control: Dial thermostat control
- Power: 220-240V, 50/60Hz, 2400W
- Anti-Scale
- Anti-Drip
- Automatic Shut-off

UT-002P 2400 WATT IRON

- Power: 220-240V, 50/60Hz, 2000-2400W
- Functions: Dry/Spray/Steam/Steam Burst Vertical Steam/Self-Cleaning
- Ceramic Soleplate (Size: 251 × 125mm)
- Water Tank Capacity: 420ml
- Steam Output: 20-25g/min
- Real Soleplate Holes: 41 pieces
- Product Dimensions: 304 × 129 × 150mm
- Functions: Drip-Preventive/Anti-Scale





UT-001P 2800 WATT IRON

- Functions: Dry/Spray/Steam/Shot of Steam Vertical Steam/Self-Cleaning
- Water Tank Capacity: 350ml
- Thermostat Control: Dial thermostat control
- Power: 220-240V, 50/60Hz, 2800W
- Anti-Scale
- Anti-Drip
- Automatic Shut-off



UT-0035 Portable Hand Iron

- Voltage: 100-120V; 220-240V / 1200W / 50-60Hz
- Water Tank Capacity: 180ml
- Steam Working Time: 9 minutes
- Unit Dimensions: (H * W * D) 165 x 75 x 126 mm
- Body: Plastic PP material
- Weight: 850g
- Pre-heat Time: 25 seconds
- Steam Output: 14/17/20g/min ± 3
- Steam Temperature: 120/140/170°C
- Power Cord Length: 2.4m
- 3 adjustable steam and temperature settings, suitable for all types of fabrics
- Can be used as both a dry iron and a steam iron



UT-0025 Portable Hand Iron

- 100V-240V / 1200W / 50-60Hz
- Water Tank Capacity: 120ML
- Preheating Time: 15s
- Steam Rate: 16g/min - 21g/min +/-3
- Steam Working Time: 8-11 Minutes
- Unit Dimensions: 26012044mm
- Weight (N.W.): 750g
- Temperature: Approximately 146°C
- Steam Temperature: Approximately 120°C
- Easy to carry and travel-friendly
- Rotatable Iron Head - 90°,
- Detachable, pull-down separate tank
- Fast heating with a 15-piece vaporizing system
- Automatic shut-off function activates when the unit overheats

royal®
EV ALETLERI
HOME APPLIANCES

Royal
ŞiRKETLER GRUBU

royal EV ALETLERI HOME APPLIANCES
WESUN ELECTRIC CAR
IGZ CONSTRUCTION
FLORYA HOSPITAL

Beylikdüzü Osb Mh. Bakır Ve Pirinçciler
San.Sit. Mustafa Kurtoğlu Cd. No:31 Beylikdüzü/İSTANBUL
Tel: +90 (212) 855 92 18 - Fax: +90 (212) 855 92 15
Web: www.royalevaletleri.com.tr - www.royalhomeappliances.com.tr

www.royalevaletleri.com.tr
info@royalevaletleri.com.tr